

**Notice of Allowability**

Application No.	Applicant(s)
09/804,668	WOLF, E. GEORGE
David A Redding	1744

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--  
All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included  
herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. THIS  
NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative  
of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- This communication is responsive to the amendment filed 1/13/04.
- The allowed claim(s) is/are 15-21 and 23-27.
- The drawings filed on \_\_\_\_\_ are accepted by the Examiner.
- Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - All
  - Some\*
  - None of the:
  - Certified copies of the priority documents have been received.
  - Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- \* Certified copies not received: \_\_\_\_\_.
- Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
  - The translation of the foreign language provisional application has been received.
- Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE**

- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - Including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached  
1)  hereto or 2)  to Paper No. \_\_\_\_\_.
  - Including changes required by the proposed drawing correction filed \_\_\_\_\_, which has been approved by the Examiner.
  - Including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).
- DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

<input type="checkbox"/> Notice of References Cited (PTO-892)	<input type="checkbox"/> Notice of Informal Patent Application (PTO-152)
<input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)	<input checked="" type="checkbox"/> Interview Summary (PTO-413), Paper No. _____.
<input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No. _____	<input checked="" type="checkbox"/> Examiner's Amendment/Comment
<input checked="" type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material	<input type="checkbox"/> Examiner's Statement of Reasons for Allowance
	<input type="checkbox"/> Other _____

#### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Linda Browning on 1/20/2004.

The application has been amended as follows:

a) Claim 15, line 7, delete "the" and replace with --an--; line 8, after "vessel" insert --, said oxygenator positioned within the interior of the vessel--; delete all of line 9.

#### ***Oath/Declaration***

The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

The oath or declaration is defective because:  
It does not identify the citizenship of each inventor.

#### ***Drawings***

New corrected drawings are required in this application because the drawings are informal. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David A Redding whose telephone number is 571-272-1276. The examiner can normally be reached on Mon.-Fri. 6:00 - 3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Warden can be reached on 571-272-1281. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-3910.

*David Redding*

DAVID A. REDDING  
PRIMARY EXAMINER  
GROUP 1200

D.A.R.